

FREE PATTERN

Cherry Fizz



Black/White color-way



Red color-way

Mix poppies with geos and fun dots, and you have a winning combination of prints, sure to make a bold statement. Each colorway has its own personality, and is fun and easy to construct, making it the perfect project for gifting.







- DESIGNED BY TAILORMADE BY DESIGN
- FINISHED SIZE: 67" X 83"
- PATTERN AVAILABLE IN
MAY 2018 AT BENARTEX.COM

KANVAS
STUDIO

QUILT INSTRUCTIONS

Cherry color-way

Finished Quilt Size 67" x 83", Block size: 10"

SAMPLE	KEY / SKU	QTY	CUT
	A Packed Poppies <i>Cherry 8408-10</i>	1 ¼ yd	(4) 11 ¼" x WOF strips sub cut (10) 11 ¼" squares
	B It's a Dot <i>White/Cherry 8410-01</i>	2 1/8 yd	(4) 11 ¼" x WOF strips sub cut (10) 11 ¼" squares (2) 10 ½" x WOF strips sub cut (40) 10 ½" x 2" strips
	C Geo Trellis <i>Black/Cherry 8409-10</i>	¾ yd	(2) 10 ½" x WOF strips sub cut (40) 10 ½" x 2" strips
	D Graphic Poppy <i>Black/Cherry 8405-10</i>	2 ½ yd	(1) 11 ¼" x WOF strips sub cut (1) 11 ¼" square, cut diagonally twice (4) corners (3) 10 7/8" x WOF strips sub cut (7) 10 7/8" squares, cut diagonally once (14) setting triangles (3) 10 ½" x WOF strips sub cut (12) 10 ½" squares
	E Colors for Quilters <i>3000H-09</i>	¼ yd	(2) 2" x WOF strips sub cut (31) 2" squares (1) 3 3/8" x WOF strips sub cut (5) 3 3/8" squares, cut diagonally twice, (18) setting sashing triangles
	F Optic Circles <i>Black/Cherry 8411-11</i>	1 yd	(8) 1 ½" x WOF - border* (8) 2 ¼" x WOF - binding*


* Sew strips together via short ends

WOF = Width of Fabric, RST = Right Sides Together


BLOCK ASSEMBLY:

Quarter Triangle Square - QTS


1. Draw a line diagonally on wrong side of fabric of (1) A 11 ¼" square, place RST to (1) B 11 ¼" square. Sew ¼" seam on either side of line. Cut on diagonal line to make (2) Half Triangle Squares. Press.



2. Place Half Triangle Squares from step 1 RST having opposite fabrics meeting. Draw a diagonal line across wrong side of set, stitch ¼" seam on either side of line. Cut on line to make (2) Quarter Triangle Squares. Press.



3. Repeat Steps 1 and 2 to make (20) QTS



QUILT ASSEMBLY:

Refer to diagram on the following page for placement and rotation of blocks.

4. Layout diagonal rows as follows:

Top and bottom corners – (1) D Corner Triangle

Sashing rows 1 & 9 – (1) C 10 ½" x 2", (2) E triangle

Row 1 & 8 – (2) D Side Triangle, (2) B 10 ½" x 2", (1) QTS

Sashing rows 2 & 8 – (3) C 10 ½" x 2", (2) E 2" sq, (2) E triangle

Row 2 & 7 – (2) D Side Triangle, (4) B 10 ½" x 2", (2) QTS,
(1) D 10 ½" sq

Sashing rows 3 & 7 – (5) C 10 ½" x 2", (4) E 2" sq, (2) E triangle

Row 3 & 6 – (2) D Side Triangle, (6) B 10 ½" x 2", (3) QTS,
(2) D 10 ½" sq

Sashing rows 4 & 6 – (7) C 10 ½" x 2", (6) E 2" sq, (2) E triangle

Row 4 – (1) D Side Triangle, (8) B 10 ½" x 2", (4) QTS, (3) D 10 ½" sq,
(1) D Corner Triangle

Sashing row 5 – (8) C 10 ½" x 2", (7) E 2" sq, (2) E triangle

Row 5 – (1) D Side Triangle, (8) B 10 ½" x 2", (4) QTS, (3) D 10 ½" sq,
(1) D Corner Triangle

Sew blocks, squares and sashing together to make rows, then sew rows together to make quilt center.


BORDER ASSEMBLY:

5. (2) F 1 ½" x WOF strips together at one end. Sew to the right side of quilt center. Repeat and sew to the left side of quilt center. Press and trim even with quilt center.

6. Sew (2) F 1 ½" x WOF strips together at one end. Sew to top of quilt center. Repeat and sew to bottom of quilt center. Press and trim even with quilt center.

FINISHING

Cut batting and backing 3" larger than top on all sides. Layer backing, batting and top and baste or pin. When quilting is completed, trim excess batting backing. Bind as usual.








Note: If this Benartex pattern is included in a kit, any questions about the kit should be addressed to the vendor from whom you bought it.

QUILT INSTRUCTIONS

Black and White color-way

Finished Quilt Size 67" x 83", Block size: 10"

SAMPLE	KEY / SKU	QTY	CUT
	A Daisy Dot <i>White/Red 8407-02</i>	1 ¼ yd	(4) 11 ¼" x WOF strips sub cut (10) 11 ¼" squares
	B It's a Dot <i>White/Cherry 8410-01</i>	2 1/8 yd	(4) 11 ¼" x WOF strips sub cut (10) 11 ¼" squares (2) 10 ½" x WOF strips sub cut (40) 10 ½" x 2" strips
	C Optic Circles <i>Black/White 8411-02</i>	¾ yd	(2) 10 ½" x WOF strips sub cut (40) 10 ½" x 2" strips
	D Graphic Poppy <i>Black/White 8405-12</i>	2 ½ yd	(1) 11 ¼" x WOF strips sub cut (1) 11 ¼" square, cut diagonally twice (4) corners (3) 10 7/8" x WOF strips sub cut (7) 10 7/8" squares, cut diagonally once (14) setting triangles (3) 10 ½" x WOF strips sub cut (12) 10 ½" squares
	E Optic Circles <i>Black/Cherry 8411-10</i>	1 ¼ yd	(2) 2" x WOF strips sub cut (31) 2" squares (1) 3 3/8" x WOF strips sub cut (5) 3 3/8" squares, cut diagonally twice, (18) setting sashing triangles (8) 1 ½" x WOF - border* (8) 2 ¼" x WOF - binding*


* Sew strips together via short ends

WOF = Width of Fabric, RST = Right Sides Together


BLOCK ASSEMBLY:

Quarter Triangle Square - QTS


1. Draw a line diagonally on wrong side of fabric of (1) A 11 ¼" square, place RST to (1) B 11 ¼" square. Sew ¼" seam on either side of line. Cut on diagonal line to make (2) Half Triangle Squares. Press.



2. Place Half Triangle Squares from step 1 RST having opposite fabrics meeting. Draw a diagonal line across wrong side of set, stitch ¼" seam on either side of line. Cut on line to make (2) Quarter Triangle Squares. Press.



3. Repeat Steps 1 and 2 to make (20) QTS



QUILT ASSEMBLY:

Refer to diagram on the following page for placement and rotation of blocks.

4. Layout diagonal rows as follows:

Top and bottom corners – (1) D Corner Triangle

Sashing rows 1 & 9 – (1) C 10 ½" x 2", (2) E triangle

Row 1 & 8 – (2) D Side Triangle, (2) B 10 ½" x 2", (1) QTS

Sashing rows 2 & 8 – (3) C 10 ½" x 2", (2) E 2" sq, (2) E triangle

Row 2 & 7 – (2) D Side Triangle, (4) B 10 ½" x 2", (2) QTS, (1) D 10 ½" sq

Sashing rows 3 & 7 – (5) C 10 ½" x 2", (4) E 2" sq, (2) E triangle

Row 3 & 6 – (2) D Side Triangle, (6) B 10 ½" x 2", (3) QTS, (2) D 10 ½" sq

Sashing rows 4 & 6 – (7) C 10 ½" x 2", (6) E 2" sq, (2) E triangle

Row 4 – (1) D Side Triangle, (8) B 10 ½" x 2", (4) QTS, (3) D 10 ½" sq, (1) D Corner Triangle

Sashing row 5 – (8) C 10 ½" x 2", (7) E 2" sq, (2) E triangle

Row 5 – (1) D Side Triangle, (8) B 10 ½" x 2", (4) QTS, (3) D 10 ½" sq, (1) D Corner Triangle

Sew blocks, squares and sashing together to make rows, then sew rows together to make quilt center.


BORDER ASSEMBLY:

5. (2) E 1 ½" x WOF strips together at one end. Sew to the right side of quilt center. Repeat and sew to the left side of quilt center. Press and trim even with quilt center.

6. Sew (2) E 1 ½" x WOF strips together at one end. Sew to top of quilt center. Repeat and sew to bottom of quilt center. Press and trim even with quilt center.

FINISHING

Cut batting and backing 3" larger than top on all sides. Layer backing, batting and top and baste or pin. When quilting is completed, trim excess batting backing. Bind as usual.



Note: If this Benartex pattern is included in a kit, any questions about the kit should be addressed to the vendor from whom you bought it.